



Administrative Management Systems, Inc.
 205 West Main Street, PO Box 730
 Sackets Harbor, NY 13685
 Phone: (315) 646-2234
 Fax: (315) 646-2297
 E-mail: staff@amscert.com



ACKNOWLEDGEMENT OF CERTIFICATION

THIS IS TO ACKNOWLEDGE THAT AS OF THIS DATE

Viracon Inc.
Owatonna, MN

IS A CURRENT LICENSEE AND HAS MET ALL GUIDELINES AND REQUIREMENTS FOR THE IGCC®/IGMA® CERTIFICATION PROGRAM AND AS SUCH IS ELIGIBLE TO LABEL THE BELOW INDICATED PRODUCT(S) AS IGCC®/IGMA® CERTIFIED. THE FOLLOWING ARE IN COMPLIANCE WITH ASTM E2190 FOR SEAL DURABILITY OF INSULATING GLASS UNITS AND PASSING GAS CONTENT INITIAL AND AFTER WEATHERING (GCIA) CERTIFICATION REQUIREMENTS AS INDICATED.

<u>CERT #</u>	<u>GLASS</u>	<u>SPACER</u>	<u>FRAME CONST.</u>	<u>DESICCANT</u>	<u>SEALANT</u>	<u>GCIA</u>	<u>IC</u>
980	U/C3/U	AA/AA	BC4/GSLC/TI	LF/LF	PIB/S2	Yes	
1462	U/C3/U	MA/MA	BC4/GSLC/TI	LF/LF	PIB/S2	Yes	
1911	U/C3/U	SS/SS	BC4/SSLC/TI	LF/LF	PIB/S2	Yes	
4682	U/C3/U	RTP	BC4/PA	IB	RTP/S2	Yes/CPC	

THIS IGCC®/IGMA® PROGRAM CERTIFICATION IS CURRENT AND IN FULL EFFECT AS OF THIS ISSUE DATE. CERTIFICATION IN THE IGCC®/IGMA® PROGRAM IS SUBJECT TO SEMI-ANNUAL RENEWAL. PLEASE CHECK THE CURRENT CERTIFIED PRODUCTS DIRECTORY OR THIS OFFICE FOR MOST CURRENT INFORMATION.

Wednesday, January 15, 2025

DATE OF ISSUE

February 1, 2025 - January 31, 2026

CERTIFICATION PERIOD


 ADMINISTRATIVE MANAGER